QUICK CASES: DEATH CERTIFICATE

Forensic Science

Dr. Wardisiani 2023-2024 jwardisiani@pths209.org







- A 50-year-old man died during a witness grand mal seizure. He had sustained a penetrating brain injury from shrapnel during military service 25 years earlier. He had frequent athletic seizures ever since. In the past, the seizures have been wellcontrolled with phenobarbital and Dilantin. An autopsy blood sample contained neither drug.
- What is the cause and manner of death?
- Should this death be reported to the corner/medical examiner?





 A 55-year-old woman with advanced multiple sclerosis asphyxiates from aspiration of a bolus of food. Her blood was negative for Ethyl alcohol and drugs.

- What is the cause and canner of death?
- Should this death be reported to the coroner / ME?

- A 43 old man enters the hospital with abdominal pain and distention. Laparotomy discloses perforation of the duodenum by a wooden toothpick. Over the next six weeks, he develops peritonitis. sub phrenic abscess, septicemia, DIC, hepatic failure, renal failure, and adult respiratory distress syndrome.
- What is the cause and manner of death?
- Should this death be reported to the coroner / medical examiner?



- A woman sustains multiple bilateral rib fractures in a traffic accident. One week later she dies from bilateral and fluent Broomfield ammonia. Autopsy disposes no confusion or lacerations of her lungs, rib fracture margins in a penetrate into either plural cavity.
- What is the cause of death?
- Should this death be reported to the corner / medical examiner?

THANK YOU!! ©

QUESTIONS AND COMMENTS

